

## LISTING OF THE CLAIMS


This listing of claims will replace all prior versions and listings of claims in the application.

### DETAILED LISTING OF CLAIMS

Claims 1-14 (Canceled).


15. (Previously Presented) A method for inhibiting PMN migration across columnar epithelia and inflammation in a subject comprising, administering to a subject an effective amount of a lipoxin A<sub>4</sub> compound, wherein the lipoxin compound is an analog of natural lipoxin A<sub>4</sub>, and wherein the analog of natural lipoxin A<sub>4</sub> has a metabolic transformation region different from the natural lipoxin A<sub>4</sub> resulting in a longer half-life than natural lipoxin A<sub>4</sub>.

16. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH<sub>3</sub>.

17. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH<sub>3</sub>.

18. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH<sub>3</sub>.

19. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH<sub>3</sub>.

20. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH<sub>3</sub>.

21. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH<sub>3</sub>.

22. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH<sub>3</sub>.

23. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH<sub>3</sub>.

24. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH<sub>3</sub>.

25. (Previously Presented) The method of claim 15, wherein the lipoxin analog is




where R' is H or CH<sub>3</sub>.

26. (Previously Presented) The method of claim 15, wherein the lipoxin analog is



where R' is H or CH<sub>3</sub>.

27. (Previously Presented) The method of claim 15, wherein the lipoxin analog is



where R' is H or CH<sub>3</sub>.

Claim 28. (Canceled).